

CORRIGENDUM

Corrigendum to e-NIT No: MICD/ 08 of 2015-16 Dated: 31/07/2015 for **Procurement of DGPS for Irrigation and Flood Control Department Kashmir**. The following points are being modified in the Scope of Work and Technical Specifications:-

1. Radio Modem: Radio should be license free with maximum working range.
2. The DGPS model should not be more than two years old.

Accordingly Bid Submission end date shall change from 22/08/2015 to 29/08/2015 (1100 Hrs.), deadline for receiving the hard copies from [22/08/2015 (1100 Hrs.) to 24/08/2015 (1100 Hrs.)] to [29/08/2015 (1100 Hrs.) to 31/08/2015 (1100 Hrs.)] and Bid opening date shall change from 24/08/2015 (1400 Hrs.) to 31/08/2015 (1400 Hrs.).

Rest of the details given in the tender document shall remain unchanged.

Sd/-
Executive Engineer,
Mech. Irri. Const. Division,
Srinagar.

No:- 1311-15

Dated:- 17/08/2015.

Copy to the:-

1. Chief Engineer, Kashmir Irrigation & Flood Control Department, Srinagar for information.
2. Superintending Engineer, Mechanical Circle, Irrigation and Flood Control Department, Srinagar for information.
3. The Joint Director, Information Department, Srinagar information. He is requested to get the said Corrigendum published in National & Local leading dailies.
4. Admin. Departmental website (tenders@ifckashmir.com) with a request for hosting of the corrigendum on departments website: www.ifckashmir.com
5. Notice Board.