

Government of Jammu & Kashmir
Office of the Superintending Engineer, Mechanical Circle,
Irrigation and Flood Control Department,
Gogjibagh, Srinagar.

CORRIGENDUM/ADDENDUM I

Subject: - “Empanelment of makes for the Equipments to be used in Electro–Mechanical works at all Lift Irrigation Schemes/Dewatering Schemes/Tube Well Irrigation Schemes of all the Irrigation/Flood Divisions, of Mechanical Circle, Irrigation and Flood Control Department, Srinagar.”

Reference: This office EOI No. 01 of 2017-18 dated: 10.02.2018 issued under No.MCO/T/6499-6506 dated: 10.02.2018.

Due to typographical error, in the Notice of this office, above referred EOI, for the aforementioned, subject matter, please read item no ix, at page No 06, of the EOI document

ix. Completion certificate/supply order/purchase order copies for satisfactorily completion orders of minimum 40% of the average turnover value as the case may be of similar product/item during last seven years ending on 31 – 13 – 2017 in India. (The companies/Firm having experience criteria other than India, exchange rate on the last date of submission of bid shall be considered).

Instead of

ix. Completion certificate/supply order/purchase order copies for satisfactorily completion of at least 05 nos. orders of minimum 10% of the average turnover value as the case may be of similar product/item during last seven years ending on 31 – 13 – 2017 in India. (The companies/Firm having experience criteria other than India, exchange rate on the last date of submission of bid shall be considered).

Further in the Annexure “I” i.e. List of Items, following items, as under, are hereby added, in the scope of EOI.

No	ITEMS	GROUP
01	Electromagnetic Flow meter	B
02	Ultrasonic Level Gauges	C
03	Accelerometers-Vibration Transmitters.	C
04	Cutter Suction Dredgers for river/lakes	A
05	Amphibious Excavators	A

All other terms and conditions shall remain unchanged.

No. MCO/T/6656-63

Dated: - 19-02-2018

-sd-

Er. Mir Afaq Showkat.
Superintending Engineer,
Mechanical Circle I&FC Department,
Srinagar.

Copy to the: -

1. Chief Engineer, Kashmir Irrigation and Flood Control Department, Srinagar for information please.
2. Joint Director, Information Department, Srinagar for information with the request to get the corrigendum published in two leading local dailies and one leading National English daily for two days well before the last date of submission of EOI.
- 3-8. Executive Engineer, MID Srinagar /MICD Srinagar /MID Anantnag / MID Shadipora /MID Baramulla /FMD Baramulla for information.
9. Office file.